

Accessories

Roof / Gutter Cables

	Product #	Description
	ELB-RCLIP	Roof clips for cable, qty 25
	BT-50	Matte black roof clips (10 per pack)
	ELB-20	Stainless steel downspout 90° mounting plat
	ELB-21	Stainless steel gutter mounting plate
	KIT-BSR-DRD	BSR series kit, roof drain de-icing bracket kit
	10068944	Plastic spacers for gutters and drains (10 per pack)
	10191134	Stainless steel suspension hanger for downspout
	BRIPPS-75	75' (23 m) galvanized steel cable clip strip for installation
	HT-2-SIGN	Lamacoid snow melting warning sign English/French

Accessories

Pipe Tracing Cables

	Product #	Description
	CGSTAPE-6558	Glass cloth tape with silicone backing 260 °C 1/2" X 108'
	CGSTAPE-6758	Glass filament tape 130 °C 3/4" X 180'
	FR50F48 FR50F50	Self-adhesive aluminum tape -30 °C to 120 °C 2" X 150'
	GT108-TAPE	Self-adhesive fiber glass tape maximum temperature 200 °C 1/2" x 108'
	HT-1-LABEL	Electric heat tracing warning label English/French
	PC-1	Stainless steel pipe strap, up to 3" diameter
	PC-2	Stainless steel pipe strap, up to 10" diameter

Controls

Floor Warming

	Product #	Description
	TH115-AF-GA/U	Programmable electronic thermostat with built-in GFCI for floor heating system 15 Amp., 120/208/240V, GFCI mA ¹ 
	OTH3600-GA ^{2,3}	Non programmable electronic thermostat for floor heating system 15 Amp., 120/208/240V, Class A, GFCI mA ¹  Compliance with standard CAN/CSA-C828-13
	OTH3600P-GA ^{2,3}	Programmable electronic thermostat for floor heating system 15 Amp., 120/208/240V, Class A, GFCI mA ¹  Compliance with standard CAN/CSA-C828-13
	OTH3600-GA-ZB ^{2,3}	Smart thermostat - Zigbee for floor heating system 15 Amp., 120/208/240V, Class A, GFCI mA ¹ Zigbee  CSA-C828-13 Performance Standard 
	TH1310WF ^{2,3}	Smart thermostat – Wi-Fi for floor heating system 15 Amp., 120/208/240V, Class A, GFCI mA ¹   CSA-C828-13 Performance Standard     
	TR1310-120-240GA ³	Slave unit for floor heating system 15 Amp., 120/208/240V, Class A, GFCI mA ¹
	GT130 ⁴	Smart gateway that provides remote access to the OTH3600-GA-ZB Zigbee 

¹ GFCI: Ground fault circuit interrupter.

² 15' (4.6 m) floor sensor included.

³ Standard color is white.

⁴ Standard color is black.

Use of the Works with Apple badge means that an accessory has been designed to work specifically with the technology identified in the badge and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. HomeKit is a trademark of Apple Inc. Neviweb® is a registered trademark of Sinopé Technologies Inc. in Canada and the United States. Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Google Play and the Google Play logo are trademarks of Google Inc. The Wi-Fi CERTIFIED™ Logo is a certification mark of Wi-Fi Alliance®.

	Product #	Description
	ETO2	<p>Fully automatic and economical dual-zone electronic controller, suitable for controlling electric heating cables in one or two zones, 1-zone: 3 x 16A, 2-zone: 2 x 16A, 120V to 240V</p> <p>Suitable for use with GFEP panels</p>
	ETO2-BOX	<p>Mounting box dual-zone electronic controller ETO2</p>
	ETOG	<p>Ground sensor to detect humidity and temperature with 33' (10 m) side entry cable</p>
	ETOG-56	<p>Ground sensor to detect humidity and temperature with 80' (25 m) bottom entry cable</p>
	ETOK-1	<p>Mounting tube for ground sensor ETOG-56</p>
	ETOR-55	<p>Gutter sensor to detect humidity with 33' (10 m) cable</p>
	ETF-744-99	<p>24V outdoor sensor for measuring temperature</p>